



RangeVision NEO

High-quality 3D scanning is available to everyone now!



CONTROL



JM

Education and science

Arts and culture



Visualisation



Product design





Easy and fast scanning



Affordable price



Free software and updates



Scan options



Scanning on a rotary table





Scanning with markers

Scanning by geometry

An automatic rotary table comes with the scanner

It allows you to scan an object automatically in one click. You can use the rotary table for scanning objects weighing up to 20 kg.





Easy and fast 3D scanning

- ► 5 minutes to prepare for scanning
- Plug and Play
- Automatic calibration
- One-click scanning
- Simple user interface



Compatible with any 3D printer

- Easy data export for 3D printing
- Coordinate system setting for 3D printing
- Automatic mesh-building with filling holes
- Color-textured models ready for 3D printing



A vast range of processing capabilities

- > Automatic and manual alignment by markers and without markers
- Holes filling
- Object surfaces smoothing
- > 3D model simplification and reduction triangles number
- Mesh defects correction
- Automatic removal of small artifacts and noise
- Other professional functions of ScanCenter NG software



Export your 3D model to other software for further processing

ScanCenter NG allows you to export 3D models to most demanded formats: STL and OBJ

Technical specifications

Scanning technology	structured light
Accuracy, up to	0.05 mm
3D resolution, up to	0.13 mm
Object size	from 3 cm to 1.2 m
FOV size, mm	200 x 150 x 150 mm
Working distance	0.3 m
Ability to capture texture	yes
Cameras resolution	2MP
Modes alignment	by markers, by geometry
3D mesh formats	OBJ, PLY, STL, PTX, ASCII
Power source for scanner	USB
Minimum computer requirements	Intel® Core™ i3/i5 1.8 GHz (Broadwell-based), 8 GB, HDMI, USB 3.0, USB 2.0 for a rotary table
Supported OS	Windows 7/8.1/10 64bit
Rotary table	yes
Platform table diameter	20 cm
Max rotary table load capacity	20 kg / 44 lb
Power source for rotary table	220 V - 12V/1A
Case dimensions	430 x 380 x 155 mm
Weight	1 kg / 2.2 lb
Full package in case weight	5.5 kg / 12.1 lb

Package contains

